

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

RAPID 8 Supercedes Date: 28-Apr-2020

Revision date 15-Aug-2022 Revision Number 1.04

SECTION 1: Identification of the substance/mixture and of the company/undertaking

	1.1.	Product	identifier	
--	------	---------	------------	--

Product Name	RAPID 8
Pure substance/mixture	Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Building and construction work Hydraulic Cement, Mortar, Grout and Concrete

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone	
United Kingdom	+44 (1785) 272650
Ireland	NPIC - National Poison Information Centre
	Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week)
	Healthcare Professionals: +353 (01) 8092566 (24 hour service)
Europe	112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Specific target organ toxicity — single exposure	Category 3 - (H335)

2.2. Label elements

Contains Cement, portland, chemicals (Chromium VI reduced), Flue dust, Cement Portland

RAPID 8 Supercedes Date: 28-Apr-2020 Revision date 15-Aug-2022 Revision Number 1.04



Signal word Danger

Hazard statements

H315 - Causes skin irritation.H318 - Causes serious eye damage.H335 - May cause respiratory irritation.

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing dust

P280 - Wear protective gloves and eye/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P501 - Dispose of contents/ container to an approved waste disposal plant

Additional information

Cement product for which the amount of chromium VI was decreased to < 0,0002 % by a reduction agent (related to the total dry weight).

2.3. Other hazards

When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease. Product dust may be irritating to eyes, skin and respiratory system. Repeated exposure may cause skin dryness or cracking.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Cement, portland, chemicals (Chromium VI reduced)	266-043-4	65997-15-1	40 - <80	STOT SE 3 (H335) Skin Irrit. 2	-	Exempt

RAPID 8 Supercedes Date: 28-Apr-2020

Revision date 15-Aug-2022 Revision Number 1.04

				(H315) Eye Dam. 1 (H318)		
Quartz	238-878-4	14808-60-7	10 - <20	[B]	-	[5]
Flue dust, Cement Portland	270-659-9	68475-76-3	1 - <3	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)	-	01-2119486767- 17-XXXX
Calcium oxide	215-138-9	1305-78-8	0.1- <1	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)	-	01-2119475325- 36-XXXX

NOTE [5] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex V of REACH

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures		
4.1. Description of first aid measu	res	
General advice	If medical advice is needed, have product container or label at hand.	

Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist.
Skin contact	Remove material from skin immediately. Wash off immediately with soap and plenty of water. If skin irritation or rash occurs: Get medical advice/attention.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Drink 1 or 2 glasses of water. Call a doctor or poison control centre immediately.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).
4.2. Most important symptoms and	d effects, both acute and delayed
Symptoms	Burning sensation. Causes serious eye damage. Irritating to skin. Inhalation of dust in high concentration may cause irritation of respiratory system. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the
	surrounding environment.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the None known. Product itself does not burn. chemical

5.3. Advice for firefighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary. **precautions for fire-fighters**

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid generation of dust. Do not breathe dust. Ensure adequate ventilation. Use personal protective equipment as required. Do not get in eyes, on skin, or on clothing.	
Other information	Refer to protective measures listed in Sections 7 and 8.	
For emergency responders	ders Use personal protection recommended in Section 8.	
6.2. Environmental precautions		
Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil.		
6.3. Methods and material for conta	ainment and cleaning up	
Methods for containment	Cover powder spill with plastic sheet or tarp to minimise spreading and keep powder dry. Prevent dust cloud.	
Methods for cleaning up	Vacuum or sweep material and place in a disposal container. Avoid generation of dust.	
Prevention of secondary hazards	of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulation	
6.4. Reference to other sections		
Reference to other sections	See section 8 for more information. See section 13 for more information.	
SECTION 7: Handling and st	orage	
7.1. Precautions for safe handling	-	
Advice on safe handling	Avoid generation of dust. Ensure adequate ventilation. Do not breathe dust. Use personal protection equipment. Avoid contact with skin, eyes or clothing.	
General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before brea work. Take off contaminated clothing and wash it before reuse.		

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep the packing dry and well sealed to prevent contamination and absorption of

RAPID 8 Supercedes Date: 28-Apr-2020

	humidity. After absorption of moisture or exceeding the shelf life the reducing agent for chromate will lose its efficiency and sensitisation by skin contact may occur.			
Recommended storage temperature	Keep at temperatures between 10 and 20 °C.			
7.3. Specific end use(s)				
Specific use(s) Building and construction work. Hydraulic Cement, Mortar, Grout and Concrete.				

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom
Cement, portland, chemicals (Chromium VI reduced)	-	TWA: 10 mg/m ³
65997-15-1		TWA: 4 mg/m ³
		STEL: 30 mg/m ³
		STEL: 12 mg/m ³
Quartz	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³
14808-60-7		STEL: 0.3 mg/m ³
Dust	-	TWA: 10 mg/m ³
RR-12364-8		TWA: 4 mg/m ³
		STEL: 30 mg/m ³
		STEL: 12 mg/m ³
Calcium oxide	TWA: 1 mg/m ³ respirable fraction	TWA: 1 mg/m ³
1305-78-8	STEL: 4 mg/m ³ respirable fraction	TWA: 2 mg/m ³
		STEL: 4 mg/m ³
		STEL: 6 mg/m ³

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available. (PNEC)

Predicted No Effect Concentration (PNEC)	
Calcium oxide (1305-78-8)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater - intermittent	0.37 mg/l
Marine water Marine water - intermittent	0.24 mg/l
Sewage treatment plant	2.27 mg/l
Soil	817.4 mg/kg dry weight

8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment Eve/face protection

Hand protection

Goggles. or. Face protection shield. Eye protection must conform to standard EN 166. Wear protective nitrile rubber gloves. Glove thickness > 0.7mm. Gloves must conform to standard EN 374. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the mentioned glove material is in general greater than

	480 min. Unsuitable gloves materials:. Leather.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	Avoid generation of dust. In case of insufficient ventilation, wear suitable respiratory
	equipment. Particle filter device (DIN EN 143).
Recommended filter type:	High efficiency particulate air filter. Wear a respirator conforming to EN 140 with Type
	P2/P3 filter or better.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical	and chemical properties	
Physical state	Solid	
Appearance	Powder	
Colour	Grey	
Odour	Characteristic.	
Odour threshold	No information available	
Property_	Values	Remarks • Method
Melting point / freezing point	Not applicable .	
Initial boiling point and boiling	Not applicable	
range		
Flammability	No data available	
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Flash point	Not applicable .	
Autoignition temperature	No data available	
Decomposition temperature		None known
рН	No data available	
pH (as aqueous solution)	> 11	solution (75 %)
Kinematic viscosity	Not applicable .	
Dynamic viscosity		
Water solubility	Reacts with water. Cement based	
	products react and solidify in contact	
	with water	
Solubility(ies)	No data available	
Partition coefficient	No data available	
Vapour pressure	No data available	
Relative density	No data available	
Bulk Density	ca. 1.4 - 1.5 g/cm³	
Liquid Density	No data available	
Relative vapour density	No data available	
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
9.2. Other information		
Solid content (%)	100	
Softening Point	Not relevant	
VOC content	No data ava	ailable

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available Not applicable .

RAPID 8 Supercedes Date: 28-Apr-2020

SECTION 10: Stability and re	eactivity
10.1. Reactivity	
Reactivity	Product cures with moisture.
10.2. Chemical stability	
Stability	Keep away from Incompatible materials. Stable under recommended storage conditions.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
10.3. Possibility of hazardous reac	tions
Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	
Conditions to avoid	Product cures with moisture. Protect from moisture.
10.5. Incompatible materials	
Incompatible materials	Strong acids. Strong bases. Strong oxidising agents. Acids. Aluminium.
10.6. Hazardous decomposition pro	oducts_
Hazardous decomposition products	None known. None under normal use conditions. Stable under recommended storage conditions.
SECTION 11: Toxicological i	nformation
11.1. Information on hazard class	es as defined in Regulation (EC) No 1272/2008
Information on likely routes of exp	osure
Product Information	
Inhalation	Inhalation of dust in high concentration may cause irritation of respiratory system.
Eye contact	Causes serious eye damage.
Skin contact	Causes skin irritation.
Ingestion	Based on available data, the classification criteria are not met.
Symptoms related to the physical,	chemical and toxicological characteristics
Symptoms	Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.
Acute toxicity	
Numerical measures of toxicity	
Component Information	

RAPID 8 Supercedes Date: 28-Apr-2020

Chomical name	Oral LD50	Dormal I D50	Inhalation C50	
Chemical name Cement, portland, chemicals		Dermal LD50 >2000 Kg/mg (Lapin)	Inhalation LC50 >5 g/m ³ (Rattus)	
(Chromium VI reduced)				
Quartz	>2000 mg/kg (Rattus)	-	-	
Flue dust, Cement Portland	<u> </u>	LD5 >= 2000 mg/kg (Rat) OECD 402	> 6.04 mg/L (Rat)4 h	
Calcium oxide	>2000 mg/kg (Rattus)	LD50 > 2500 mg/kg (Oryctolagus cuniculus)	> 6.04 mg/L (Rat)4 h	
Delayed and immediate effects	s as well as chronic effects fr	om short and long-term expos	sure	
Skin corrosion/irritation	Causes skin irritation.			
Serious eye damage/eye irrita	tion Causes serious eye dama	age. Causes burns.		
Respiratory or skin sensitisati	on Based on available data,	the classification criteria are not	met.	
Germ cell mutagenicity	Based on available data,	the classification criteria are not	met.	
Carcinogenicity	Based on available data,	Based on available data, the classification criteria are not met.		
Reproductive toxicity	luctive toxicity Based on available data, the classification criteria are not met.			
STOT - single exposure	OT - single exposure May cause respiratory irritation.			
STOT - repeated exposure	ed exposure Based on available data, the classification criteria are not met.			
Aspiration hazard	ion hazard Based on available data, the classification criteria are not met.			
11.2. Information on other haz	zards			
11.2.1. Endocrine disrupting properties				
Endocrine disrupting properti	es No information available.			
11.2.2. Other information				
Other adverse effects	No information available.			
SECTION 12: Ecological	information			

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Calcium oxide	EC50	LC50 96 h =	EC50 (Bacteria):	EC50 (48h) =		
1305-78-8	(Pseudokirchner	50.6 mg/L	229,2 mg/l	49.1		
	iella subcapitata	(Oncorhynchus	Exposure time: 3	mg/l(Daphnia		

RAPID 8 Supercedes Date: 28-Apr-2020

Revision date 15-Aug-2022 Revision Number 1.04

(gre	een algae)):	mykiss)	h	magna) OECD	
10	06,02 mg/l	-	Test Type: static	202	
E	nd point:		test		
Gi	rowth rate		Method: OECD		
Exp	osure time:		Test Guideline		
	72 h		209		
Test	Type: static		GLP: yes		
	test		-		
Met	hod: OECD				
Tes	st Guideline				
	201				
	GLP: yes				

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name PBT and vPvB assessment	
Flue dust, Cement Portland	PBT assessment does not apply
Calcium oxide	The substance is not PBT / vPvB PBT assessment does
	not apply

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03 10 13 06 particulates and dust (except 10 13 12 and 10 13 13) Cured product can be treated as construction waste. In the management of larger quantities consult with local authorities and local waste disposal company 10 13 14 waste concrete and concrete sludge
Other information	Waste codes should be assigned by the user based on the application for which the

Revision date 15-Aug-2022 Revision Number 1.04

product was used.

SECTION 14: Transport information

Land transport (ADR/RID) 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable None
IMDG	
14.1 UN number or ID number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Marine pollutant	NP
14.6 Special Provisions	None
14.7 Maritime transport in bulk	Not applicable
according to IMO instruments	
Air transport (ICAO-TI / IATA-DGR)	_
14.1 UN number or ID number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH Annex XVII
Cement, portland, chemicals (Chromium VI reduced)	65997-15-1	47.

47 where product supplied with reducing agent the packaging must be marked with the storage conditions and storage

period appropriate to maintaining the activity of the reducing agent to keep the content of soluble chromium VI below 2mg/Kg.

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H315 - Causes skin irritation

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

Legend

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue
ADR	European Agreement concerning the International Carriage of Dangerous Goods by
	Road
IMDG	International Maritime Dangerous Goods (IMDG)
ΙΑΤΑ	International Air Transport Association (IATA)
RID	Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data No information available

Prepared By	Product Safety & Regulatory Affairs
Revision date	15-Aug-2022

Indication of changes

Revision note	SDS sections updated.
Training Advice	When working with hazardous materials, regular training of operators is required by law
Further information	No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet